

# What is ChemplianceWeb™ ?

ChemplianceWeb™ Hosting & Management provides quick, convenient, reliable access to multilingual (M)SDSs, associated documents, labels and management reports.

ChemplianceWeb seamlessly integrates with Chempliance™ authored (M)SDSs or indexed vendor (M)SDSs for efficient distribution to your clients or internal workforce.

This web-based solution runs entirely within your web browser; eliminating software installation. ICC is the application service provider, which means we host, manage and deploy the service from a central location. ChemplianceWeb™ is deployed from our secure and dependable servers with guaranteed up-time.

# Key Benefits

ChemplianceWeb™ provides secure online access to multilingual MSDSs, associated documents, chemical labels, regulatory and management reports.

Regulatory and safety information can be searched and analyzed to assist safety professionals in managing product safety, regulatory and environmental information.

- ✓ Save time and money by centralizing management of MSDS and label content
- ✓ Streamline effort and reduce risk of non-compliance
- ✓ Reduce unauthorized chemicals being introduced into the workplace
- ✓ Easily manage departments and remote locations
- ✓ Ensure compliance to Right-to-know regulations
- ✓ Promote workplace safety through global access to updated MSDS

# Key Features – Partial List

- ✓ Multi-lingual **Product Safety Summary** Report
- ✓ Supports **thermal transfer** and **laser label** printing
- ✓ Supports multi-lingual data and interface
- ✓ Automatically generates URL links to embed in your website for public access
- ✓ Customize interface and report with your logo
- ✓ Manage supplier, manufacturer information and contacts.
- ✓ E-mail attached MSDS directly from the search grid
- ✓ Pre-defined searches by product, location, groups, ingredient, supplier, etc.
- ✓ Chemical authorization and approval process
- ✓ Advanced documents security controls who can view documents.
- ✓ User based profile manage user languages, privileges and interface views.
- ✓ Associate MSDS to Unlimited location/ Departments
- ✓ Wide variety of multi-lingual regulatory, products and safety reports.
- ✓ Direct integration with ICC professional MSDS services

# Product search

Finding the correct document is very quick and easy. This is achieved via dedicated searches by location, group, supplier, ingredient or search by product information (as shown below). These searches can be narrowed down even further by using one or more column filters.

### Search Criteria

- Product Name
  - Starts with
  - Does not start with
  - Is equal to
  - Is not equal to
  - Contains
  - Does not contain

**“Check” box to activate filter. Filters can be specific to the user or set globally and enforced by the administrator.**

**Creates Filter from Search**

English/English Welcome Demo Dan Sign Out

icc ComplianceCenter  
HAZMAT REGULATIONS SPECIALISTS

Home > Search for Product

1 Filter(s) 0 Applied

1  MSDS No [Contains] "EU"

10 item(s) found

Doc	Edit	Delete	Copy	MSDS No	Product Name	Supplier	MSDS Preparation Date
				LT16563	WATER FILTERS WITH FLEETGUARD ES COATED TABLET (PHOSPHATE/NITRITE/MOLYBDATE)	ICC - The Compliance Center	05/04/2006
				LT36190	Fleetguard Diesel Fuel Injector Cleaner	ICC - The Compliance Center	08/04/2010
				LT16618	FLEET-TECH TURBO DIESEL FUEL ADDITIVE	ICC - The Compliance Center	04/28/2006
				LT16561	WATER FILTERS WITH FLEETGUARD DCA-	ICC - The Compliance Center	04/21/2006
				LT16580	FLEETCOOL EG CONCENTRATE (Ethylene)	ICC - The Compliance Center	04/20/2006
				LT16587a	ES COMPLEAT COOLANT EG PREMIX (ETH COOLANT)	ICC - The Compliance Center	04/21/2006
				LT16595	HEAVY DUTY COOLANT EG PREMIX 50/50	ICC - The Compliance Center	04/21/2006
				LT16622	FLEETGUARD PLATINUM PLUS DFX-DPF (I	ICC - The Compliance Center	01/11/2010
				LT36169	4 Way Coolant Test Kit (ICC)	ICC - The Compliance Center	03/31/2010
				LT16570 EU	FLEETGUARD ES LIQUID (ICC)	ICC - The Compliance Center	03/31/2010

**Enter filter values in columns.**

# Multi-lingual solution

ChemplianceWeb™ is designed as a multi-lingual solution that supports both data and interfaces in multiple languages. This feature ensures that ChemplianceWeb™ can be your global (M)SDS distribution and hosting solution.

## Select Data & Interface Languages.

Interface Languages	Data Languages			
Česky	Français	Nederlands	Svensk	עברית
Dansk	Français (Canada)	Nordmann	Türkçe	العربية
Deutsch	Hrvatski	Polski	Việt	हिन्दी
Deutsch (die Schweiz)	Indonesia	Português	Ελληνικά	ភាសាខ្មែរ
Eesti	Italiano	Português (Barsil)	Български	한국어
English	Latviešu	Română	Русско	日本語
Español	Lietuvių	Slovenski	Српски	简体中文
Español (México)	Magyar	Slovenskom	Українська	繁體中文
Filipino	Melayu	Suomi		

## Health and Safety Phrase library.

MSDS Safe Handling



Restricted to professional users. Use personal protective equipment as required. Use only in well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Keep away from incompatibles. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Wash thoroughly after handling. Do not let product enter drains.

French



Réservé aux utilisateurs professionnels. Utiliser l'équipement de protection individuel requis. Utiliser seulement dans des zones bien ventilées. Ne pas respirer les vapeurs ou le brouillard de pulvérisation. Éviter le contact avec la peau, les yeux et les vêtements. Tenir à l'écart de la chaleur et des sources d'ignition. Tenir à l'écart des matières incompatibles. Ne pas percer ou brûler, même après usage. Ne pas vaporiser vers une flamme

Spanish




Restringido a usos profesionales. Utilizar equipo de protección individual cuando se requiera. Utilícese solo en zonas bien ventiladas. No respirar vapores o niebla de pulverización. Evitar el contacto con la piel, ojos y ropa. Manténgase separado del calor y de las fuentes de ignición. Mantenga el producto alejado de sustancias incompatibles. No agujerear ni quemar, incluso después de usarlo. No vaporizar hacia una llama o un cuerpo

# Product Safety Summary

10/28/2010

## Product Safety Summary



**Product Identification**



<b>Product Name:</b>	<b>Primer 1091 (ICC)</b>	<b>Product No:</b>	10915GAL, 10911litre
<b>Product Code:</b>	Primer 1091	<b>MSDS #:</b>	PHC-034
<b>Product Use:</b>	Primers -Conductive adhesive.	<b>Revision Date:</b>	8/15/2007
<b>Product Description:</b>	High density adhesive compound	<b>Product Status:</b>	Active
<b>Supplier Part #:</b>			

---

**Product Safety Overview**

Red liquid. Solvent odour.  
 Warning!! Flammable liquid and vapour. Vapour may cause flash fire! Burns with colourless flame.  
**POISON!** May be fatal or cause blindness if swallowed, cannot be made non-poisonous. Harmful by inhalation and in contact with skin. May cause central nervous system depression. May cause respiratory irritation. Causes skin and eye irritation. May be an aspiration hazard. Possible birth defect hazard - contains material that may cause birth defects, based on animal data.

**Target Organs:** Eyes, skin, respiratory system, digestive system, central nervous system.

WHMIS Classification	Personal Protective Equipments	HMIS Rating								
FLAMMABLE POISON 	Gloves    Tyrols Safety Glasses    Full Suit    Face Shield & Eye Protection 	0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic effects <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #0000FF; color: white;">HEALTH</td> <td style="text-align: center;">2</td> </tr> <tr> <td style="background-color: #FF0000; color: white;">FLAMMABILITY</td> <td style="text-align: center;">3</td> </tr> <tr> <td style="background-color: #FFFF00; color: black;">REACTIVITY</td> <td style="text-align: center;">0</td> </tr> <tr> <td style="background-color: #0000FF; color: white;">PERSONAL PROTECTION</td> <td style="text-align: center;">X</td> </tr> </table>	HEALTH	2	FLAMMABILITY	3	REACTIVITY	0	PERSONAL PROTECTION	X
HEALTH	2									
FLAMMABILITY	3									
REACTIVITY	0									
PERSONAL PROTECTION	X									

**PPE Statements:**  
 Impervious gloves must be worn when using this product. Advice should be sought from glove suppliers.  
 Chemical splash goggles are recommended. A full face shield may also be necessary.  
 Wear resistant clothing and boots.


Supplier	Manufacturer
<b>ICC - The Compliance Center</b> 2150 Liberty Drive, Niagara Falls, New York, 14304  <b>Web Site:</b> Phone No: 1-800-767-7231 Emergency Phone No: 800-554-6181	<b>ICC - The Compliance Center</b> 205 Matheson Blvd East, Mississauga, Ontario, L4Z 1X8  <b>Web Site:</b> www.thecompliancecenter.com Phone No: 905-890-7228 Emergency Phone No: 1-800-767-7231

---

**TDG Shipping Information**

Shipping Name: METHANOL  
 Technical Name:  
 PG: II  
 UN No: UN1230

Hazard Symbols



---

**Ingredients**

Chemical Name	CAS No	Weight	Note
Methanol	67-56-1		

**Product Safety Summary** Contains essential product safety information extracted from the MSDS. This information is presented in a consistent format to facilitate employee training on the safe handling of chemicals.

**MSDS Binder** - A fully indexed PDF report of a collection of Product Safety Summaries can be printed for a specific group of products. This may be useful when printing a "binder" of Product Safety Summaries for products used in a specific department or location.

# Labeling Module

Our intuitive label printing interface requires minimal training. Within minutes users can efficiently print workplace labels directly from the web to our cost-effective thermal transfer or convenient color laser printers.

Select Format

- GHMIS OSHA LZ
- GHMIS TT
- NFPA TT
- GHMIS LZ
- GHMIS OSHA LZ
- GHMIS OSHA Small LZ

English/English Welcome Demo Dan Sign Out

icc ComplianceCenter  
HAZMAT REGULATIONS SPECIALISTS

Search Products Reports Lists User Profile Admin Help Coming Soon

Home > Labels

**Labels**

Choose a label

Label GHMIS TT

Size (inches) Width 4 Height 2

Margin (inches) Left 0 Right 0 Top 0 Bottom 0

Save Settings Load Defaults

**Preview**

PRODUCT IDENTIFIER	REFERENCE
HEALTH <input type="checkbox"/>	PRODUCT USE:
FLAMMABILITY <input type="checkbox"/>	MANUFACTURER:
REACTIVITY <input type="checkbox"/>	PERSONAL PROTECTION:
PERSONAL PROTECTION <input type="checkbox"/>	REFER TO SAFETY DATA SHEET

Select Products

Product Name icc Contains

Product code Starts with

MSDS # Starts with

Manufacturer/Supplier Starts with Search

Select All Deselect All Top 10

Selected	Qty	Product Name	Product Code	MSDS No
<input type="checkbox"/>	1	ZERO START ETHER - CYLINDER (ICC -EU)	3836258; 3833593 A; 3833593 B; 3302657; 3835603; 3835604 A; 3835604 B.	LT16600 EU
<input checked="" type="checkbox"/>	10	FLEETGUARD PLATINUM PLUS DFX-DPF (ICC)CC0277200 (5 gallon / 18.9 L pail); CC0277300 (4x1 Gallon / 3.785 L Bottles).	LT16622	
<input type="checkbox"/>		4 Way Coolant Test Kit (ICC)	CC8997-A	LT36169

Print at position 1

Language English

Print Background Show Labels

Laser label starting position

Search for Product

View Label

Quantity to Print

Choose Label Language

# Thermal Transfer Printing

ChemplianceWeb™ supports thermal transfer imprinting of our high-quality workplace labels through our SW-247 on-demand thermal transfer printer. This is ideal for printing individual labels in an “on-demand” environment.

FLEETGUARD PLATINUM PLUS DFX-DPF (ICC)		LT16622
*	2	Diesel fuel conditioner and bimetallic
	2	ICC - The Compliance Center
0		



### 4 Way Coolant Test Kit (ICC)

Clear colourless liquid. Pungent odour.  
**DANGER!** Contact with metals may release small amounts of flammable hydrogen gas. Corrosive liquid. Causes eye, skin and digestive tract burns. Severe respiratory irritant. **POISON!** May be fatal if inhaled. Prolonged inhalation of an ingredient(s) in this product may cause edema of the lungs and/or lung damage.

**Target Organs:** Eyes, skin, respiratory system and digestive system.

<b>Manufacturer Name:</b> ICC - The Compliancecenter.com	<b>HAZARD RATING</b> <table border="1"> <tr> <td><b>HEALTH</b></td> <td>3</td> </tr> <tr> <td><b>FLAMMABILITY</b></td> <td>0</td> </tr> <tr> <td><b>REACTIVITY</b></td> <td>1</td> </tr> <tr> <td><b>PERSONAL PROTECTION</b></td> <td><input type="checkbox"/></td> </tr> </table>	<b>HEALTH</b>	3	<b>FLAMMABILITY</b>	0	<b>REACTIVITY</b>	1	<b>PERSONAL PROTECTION</b>	<input type="checkbox"/>
<b>HEALTH</b>		3							
<b>FLAMMABILITY</b>		0							
<b>REACTIVITY</b>		1							
<b>PERSONAL PROTECTION</b>		<input type="checkbox"/>							
<b>Supplier Name:</b> ICC - The Compliance Center									
<b>Emergency Phone # :</b> 999-999-9999									
<b>Product Code:</b> CC8997-A									
<b>REFER TO MSDS #:</b> LT36169									



PRODUCT IDENTIFIER		REFERENCE
HEALTH <input type="checkbox"/>	PRODUCT USE:	
FLAMMABILITY <input type="checkbox"/>	MANUFACTURER:	
REACTIVITY <input type="checkbox"/>		
PERSONAL PROTECTION <input type="checkbox"/>		
REFER TO SAFETY DATA SHEET		



PRODUCT IDENTIFIER		REFERENCE
FLEETGUARD PLATINUM PLUS DFX-DPF (ICC)		LT16622
HEALTH * 2	PRODUCT USE:	Diesel fuel conditioner and bimetallic
FLAMMABILITY 2	MANUFACTURER:	ICC - The Compliance Center
REACTIVITY 0		
PERSONAL PROTECTION <input type="checkbox"/>		
REFER TO SAFETY DATA SHEET		


# Laser Printing

ChemplianceWeb™ supports both color and monochrome laser printing of workplace labels. User can also select the starting position for each label to conserve on label stock.

## Printed from Color Laser Printer



## Printed on Pre-Printed Label Stock



# Document Security

Our advanced document security can restrict access to specified user groups or even specific individuals to sensitive information. This may include formulations, product labels, product specification sheets, certificates of analysis or customer-specific information.

The screenshot displays the 'Documents' tab in the ChemplianceWeb interface. At the top, there are navigation tabs: Product ID, Safety, HMIS & PPE, Shipping, Ingredients, Documents (selected), Locations & Stock, Regulations, and Groups. Below the tabs, there is a header area with 'Attach new Doc', 'Back', and 'Save' buttons. The main content area is divided into several sections:

- Doc Type:** A dropdown menu set to 'Label'.
- Language:** A dropdown menu set to 'English'.
- Doc Name:** A text input field containing 'Calcium Nitrate'.
- Doc Tips:** An empty text input field.
- Format:** A dropdown menu set to 'pdf'.
- Bind Date:** A date input field set to '11/22/2010'.
- Doc Security:** Two radio buttons: 'Show it to all users' (unselected) and 'Show it only to these groups' (selected).
- Allowed Groups:** A list box containing 'Admin'.
- All Groups:** A list box containing 'Users', 'Power Users', 'Public Site Group', and 'Public Search'.
- Buttons:** Two arrow buttons (< and >) are positioned between the 'Allowed Groups' and 'All Groups' list boxes. An 'Upload Doc' button is located at the bottom left of the form.

Uploading document(s) is fast and easy. Users with appropriate rights can upload any type of document for distribution on the website.

# Reporting

ChemplianceWeb™ contains a number of reports to assist safety professionals in managing product safety, regulatory, inventory and hazard information. Reports are available in PDF, Word or Excel format.

The screenshot displays the ChemplianceWeb reporting interface. On the left, the 'List Reports' section offers several report options: 'Products Summary List' (selected), 'Suppliers / Manufactures / Customers List', 'Products Group By Supplier or Manufacturer', 'Ingredients List', 'Product Ingredients', and 'Products Group By Ingredient'. The 'Products Group By Ingredient' report is highlighted with a red box, and a red arrow points from this box to a preview window on the right. The preview window, titled 'Lists[1].pdf - Adobe Reader', shows the report content for 'Products Group By Ingredient'. The report is structured as a table with columns for Product Name, Product Code, and Weight. It lists various products and their associated weights, such as '2K HS BRIGHT YELLOW' (15 - 40) and '2K MIXED SINGLE LAYER COLOR WITH LEAD' (10 - 20). The report is displayed on page 333 of 691, dated 7/9/2010.


# E-mail Support

This easy-to-use e-mail feature promotes customer satisfaction by facilitating quick fulfillment of (M)SDS requests.

1. Quickly find product with efficient searches.

4 Way Coolant Test Kit (ICC)					
Doc Type	Language	Name	Date	Email it	Attach to email
MSDS	English	LT36169 VI	8/13/2010		
MSDS	Français	LT36169 VI	8/13/2010		
Label	English	Calcium Nitrate	11/18/2010		

2. Click on e-mail icon to send e-mail. Click on paper clip to attach multiple documents prior to sending e-mail.



3. Enter customer e-mail and information in body of the e-mail – click send

# Interface Customization

User can upload a company logo to personalize the Product Safety Summary report and website interface.

Search ▾ Products ▾ Reports ▾ Lists ▾ User Profile ▾ Admin ▾ Help ▾ Under Development ▾


Home > Account Profile 2

Account Info | Subscription Info | Default Search Basic Keys | Default Search Advanced Keys | Default Search Product Grid Columns

Default Recent Products Grid Columns | Field Captions & Translations

Account Name: Demo

**Header Configuration**

Header Logo:  [Change Account Logo](#)

Header Text:

Logo Link:

Header color:


Header Background Color:


Font Name:

Font Size:

Email Address:

Web Site:

Report Logo:  [Change Report Logo](#)



# Filters

Global or account wide filters are available to all users. Named or User groups have the ability to create their own filters that only apply to them. In this example, multiple filters were created for a number of products based on the product name containing key words.

The screenshot shows the Chempliance web application interface. On the left, there is a search form with fields for Product Name (Adhesive), MSDS No (EU), Manufacturer, and Product Description. Below the search form are buttons for 'Search' and 'Add Filter'. On the right, there is a list of 6 filters, each with a checkbox and a trash icon. A red bracket highlights the first six filters. Below the filters, there is a table with 5 items found. The table has columns for Doc, Edit, Delete, Copy, Product Name, MSDS No, Manufacturer, and MSDS Preparation Date.

Doc	Edit	Delete	Copy	Product Name	MSDS No	Manufacturer	MSDS Preparation Date
				CHO-BOND 320 Non-Conductive Adhesive	PHC-101 EU	Parker Hannifin Ltd., Seal Group	06/14/2010
				StarStuk™ Polyurethane Adhesive (NON-Methylene Chloride)	NORTH-008 EU	NorthStar Chemicals, Inc.	08/13/2008
				StarStuk™ W2008 General Purpose Contact Adhesive Canister	NORTH-010 EU	NorthStar Chemicals, Inc.	08/13/2008
				Foaming Acrylic Flooring Adhesive Canister	NORTH-009 EU	NorthStar Chemicals, Inc.	08/13/2008
				CHO-BOND 598 Part A, Conductive Adhesive	PHC-108 EU	Parker Hannifin Ltd., Seal Group	06/18/2010

# Ingredient References

## Regulations Section

The Regulation section contains all toxicological, environment, State /Provincial and Federal information referenced by **ICC** during the authoring process.

The information can be sorted or grouped by any of the column headings. In the example shown the information is sorted by Regulatory listing.

Chemical Name	CAS No	Weight	List Value
naphthalene	91-20-3	1 - 5	15 ppm (skin)
trimethylbenzene	95-63-6	0.1 - 1	DSL
Toluene	108-88-3	1 - 5	DSL
naphthalene	91-20-3	1 - 5	DSL
Aromatic solvent	178535-25-6	60 - 70	DSL
trimethylbenzene	25551-13-7	0.1 - 1	DSL
Petroleum naphtha	64742-94-5	7 - 13	DSL
2-Ethylhexanoic	149-57-5	3 - 7	DSL

Excerpt from ICC authored MSDS

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS						
Ingredients	CAS #	% (weight)	ACGIH TLV		OSHA PEL	
			TWA	STEL	PEL	STEL
Aromatic solvent	178535-25-6	60.0 - 70.0	N/Av	N/Av	N/Av	N/Av
1,3,5-Triethylbenzene	102-25-0	10.0 - 20.0	N/Av	N/Av	N/Av	N/Av
Petroleum naphtha	64742-94-5	7.0 - 13.0	N/Av	N/Av	N/Av	N/Av
2-Ethylhexanoic acid	149-57-5	3.0 - 7.0	5 mg/m3	N/Av	N/Av	N/Av
naphthalene	91-20-3	1.0 - 5.0	10 ppm (skin)	15 ppm (skin)	10 ppm (50 mg/m3)	N/Av
Toluene	108-88-3	1.0 - 5.0	50 ppm (skin)	N/Av	200 ppm	N/Av
trimethylbenzene	25551-13-7	0.1 - 1.0	25 ppm	N/Av	25 ppm	N/Av
1,2,4-Trimethylbenzene	95-63-6	0.1 - 1.0	N/Av	N/Av	N/Av	N/Av

# Import Product Wizard

The Import Product Wizard allows for bulk importing of product indexing information into ChemplianceWeb™. Simply download the Excel template with required fields, complete it and upload it back into Chempliance™.

## Step-by-Step instructions.

**Import New Products Wizard**

Welcome  
Download Template  
Upload Data  
Browse Data  
Set Products Initial Info  
Import Data

**Welcome to Import New Products wizard. Please read the steps/hints.**

- Download Template**
  - Choose fields (Product Name is mandatory)
  - Choose languages (English is mandatory)
  - Download file and retrieve to edit and upload.
- Upload & Validate Data**
  - After downloading the template, fill in the data. don't delete or reorder columns or alter the values in rows 1 and 2.
  - There are some considerations when entering product data.
    - Each product has to have a product name for all selected languages
    - All invalid data will be ignored (i.e., dates and symbols). A flag tip will provide hints.
    - In case of multiple languages, row 3 in English will be linked to row 3 in French, etc.
  - Please look at the first column on each language so you can fix the data and upload it again
- Set The Products Initial Info**
  - To import new products you need to enter a mandatory info i.e. choose a supplier and manufacturer to be the default for all the imported products and set products status and status info
- Import data**
  - Now you are ready to import the data so go ahead and click on Import Data

Next



**Import New Products Wizard**

Welcome  
Download Template  
Upload Data  
Browse Data  
Set Products Initial Info  
Import Data

You may skip this step in case you already downloaded the template and are ready to upload the data.

**Choose Fields**

All Fields

- Product Description
- Product No
- Manufacturer Part No
- MSDS Revision Date
- MSDS Expiry Date
- UN NA No
- Emergency Tel No
- HMIS Chronic
- HMIS Health

Selected Fields

- Product Name
- Product Code
- Supplier Part No
- MSDS Number
- MSDS Preparation Date
- CAS No
- Manufacturer MSDS No

**Choose Languages**

All Languages

- Italian-Italiano
- Japanese-日本語
- Simplified Chinese-简体中文
- Traditional Chinese-繁體中文
- Russian-Русский
- Dutch-Nederlands
- Swedish-Svensk
- Norwegian-Nordmann
- Polish-Polski

Selected Languages

- English-English
- Spanish-Español
- French-Français

Download Template

Previous Next



Products[1] [Compatibility Mode] - Microsoft Excel

	A	B	C	D	E	F	G
2	Product Name	Product Code	Supplier Part No	MSDS Number	MSDS Preparation Date	Manufacturer MSDS No	CAS No
3							
4							

Hints English French Spanish

Ready

Individual worksheet is created for each language being imported.

# Import Company Wizard

The Import New Company wizard allows for efficient importing of your companies (Supplier or Manufacturer) into ChemplianceWeb™. Simply download the Excel template, complete it and upload it back into Chempliance™

## Step-by-step instructions.

**Close Window**

**Import Companies Wizard**

**Welcome**

Download Template  
Upload Data  
Set The Company Type  
Import Data

**Welcome to the Import New Companies wizard.**

- 1. Download Template**
  - Please don't alter the sheet structure since it can result in corrupt data.
  - Download the File and fill the data in
- 2. Upload**
  - Browse for file to be uploaded
- 3. Set The Company Type**
  - Choose company you can only do one type at a time

## Choose Company Type.

Welcome  
Download Template  
Upload Data  
**Set The Company Type**  
Import Data

Company Type: Suppliers  
Suppliers  
Manufacturers  
Customers

	A	B	C	D	E	F	G	H	I	J	K	
2	Company Name	Company Code	Department	Address	City	State	Postal Code	Country	Custom Address	Phone No	Emergency Phone No	Transport
3												
4												

# Company Information

ChemplianceWeb™ contact manager accommodates company and contact information for your customers, manufacturers and suppliers.

Company records can be edited or deleted from the company list.

### Edit Company

Edit: ICC - The Compliance Center Save Save & New New Close window

Company Name	<input type="text" value="ICC - The Compliance Center"/>	Company Code	<input type="text"/>
Company Type	<input type="text" value="Manufacturer"/>	Dept	<input type="text"/>
Address	<input type="text" value="205 Matheson Blvd East"/>	City	<input type="text" value="Mississauga"/>
Postal Code	<input type="text" value="L4Z 1X8"/>	State	<input type="text" value="ON"/>
Custom Address	<input type="text"/>	Country	<input type="text" value="Canada"/>
Phone	<input type="text" value="888-977-4834"/>	Emergency Phone	<input type="text" value="999-999-9999"/>
Fax	<input type="text" value="866-821-0735"/>	Transportation Phone	<input type="text"/>
Web Site	<input type="text" value="www.thecompliancecenter.com"/>	Web Site 2	<input type="text"/>
Email	<input type="text" value="dalbert@thecompliancecenter.com"/>	Contact Name	<input type="text" value="Dan Albert"/>
Contact Email	<input type="text"/>		

Custom Info ▼

### Contacts

Add Contact

Edit	Delete	Contact Name	Job Title	Department	Phone No	Cell Phone	Email
		Dan Albert	System Sales Director	Sales	905-890-7231	647-271-1978	dalbert@thecompliancecenter.com
		Nelson Roque	Software Support	Sales	905-267-2598		nroque@thecompliancecenter.com
		Stephen Flower	Business Development	Sales	905-890-7232		sflower@thecompliancecenter.com

Delete	Edit	Copy	Type	Name	Code	Address	Type	Phone No
			Supplier				Supplier	
			Supplier	Cummins Filtration		1200 Fleetguard Road	Supplier	(931) 526 9551
			Supplier	Cummins Filtration (EU)		Brookfield Road LE10 2LN Phone: +44 (0) 1455 542 222	Supplier	
			Supplier	Clean Diesel Technologies, Inc.		300 Atlantic Street, Suite 702	Supplier	(203) 327 7050
			Supplier	ICC - The Compliance Center		2150 Liberty Drive	Supplier	800-767-7231
			Supplier	ICC - The Compliance Center		16445 Air Center Blvd	Supplier	888-442-9628
			Supplier	ICC - The Compliance Center Inc		3452 - 78th Ave	Supplier	888-977-4834
			Manufacturer	ICC - The Compliance Center			Manufacturer	
			Manufacturer	ICC - The Compliance Center		205 Matheson Blvd East	Manufacturer	888-977-4834

# Announcements

## Announcement Editor

**Edit Announcement**  
Edit: CACD EN [Save] [Save & New] [New] [Close window]

Language: English  
Title: [ ]  
Abstract: [ ]  
Announcement Date: 11/23/2010  
Expiry Date: 2/23/2011

**Options**  
 Set as a default announcement  
 Show Announcement  
 Show for Admin users only  
 Archive Announcement

**ChemplianceWeb™ Demonstration**  
to the  
**CACD - Montreal Chapter**  
**Canadian Association of Chemicals**  
**Distributors**  
November 25, 2010  
Dorval, Quebec  
By  
**ICC - The Compliance Center**

Upon login, ChemplianceWeb users are greeted with a customizable announcement screen. This provides a convenient way to share important information to all users of the system.

Announcements can also appear in the language associated with the user profile.

Announcements can be given an expiration date. Once an announcement is expired, the default announcement loads.

## Announcement Screen

English/English Welcome Demo Dan Sign Out

**icc ComplianceCenter**  
HAZMAT REGULATIONS SPECIALISTS

Search Products Reports Lists My Profile Administration Wizards Help Coming soon

Home

11/23/2010  
**CACD EN**

**ChemplianceWeb™ Demonstration**  
to the  
**CACD - Montreal Chapter**  
**Canadian Association of Chemicals**  
**Distributors**  
November 25, 2010  
Dorval, Quebec  
By  
**ICC - The Compliance Center**  
Daniel Albert - System Sales Director

Contact Us | Terms Of Use | Privacy Statement

Announcements  
TSC  
12/6/2010  
CACD EN  
11/23/2010

We made use of this feature to introduce a presentation:

**Other uses can include:**


- Safety warnings
- Training guidelines
- Introduction or phasing out of products
- Etc....

# Product Ingredients

ChemplianceWeb™ is pre-preloaded with approx 250,000 chemical names to populate the product ingredient section. Please note that ICC authored MSDS will automatically populate the product ingredients section.

**Once ingredients are entered for your products, users can:**

- 1. Search for product containing a specific ingredient.
- 2. Generate formulation reports for all products.
- 3. View ingredients in the Product Safety Summary Report



# Safety Phrases – 41 Different Languages

ChemplianceWeb™ is pre-loaded an extensive library of multi-lingual safety phrases that can be used in the creation of labels.

The screenshot shows the ChemplianceWeb interface with four PPE categories: PPE 1 (Vapor Respirator HC), PPE 2 (Gloves), PPE 3 (Splash Goggles), and PPE 4 (-1). Below the PPE icons, there are three language options: English, French, and Spanish. The English text reads: "Do not breathe vapours or spray mist. Avoid contact with eyes, skin and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse." The French text reads: "Ne pas respirer les vapeurs ou le brouillard de pulvérisation. Éviter tout contact avec les yeux, la peau et les vêtements. Éviter de manger, de boire, de fumer ou d'utiliser des produits cosmétiques en travaillant avec ce produit. Bien laver les mains après la manipulation du produit avant de manger, de boire, de fumer ou d'utiliser les toilettes." The Spanish text reads: "No respirar vapores o niebla de pulverización. Evite el contacto con los ojos, la piel y la ropa. Al completar el trabajo, antes comer, beber, fumar o usar las instalaciones sanitarias, lavarse las manos con jabón y agua. Retirar la ropa manchada y lavarla cuidadosamente antes de volver a usarla." Red boxes highlight the language selection icons and the English text area.

## Phrase Editor

The Phrase Editor window displays a list of safety phrases with columns for Up, Down, Delete, Phrase Order, and Phrase. The phrases are:

Up	Down	Delete	Phrase Order	Phrase
↑	↓	✗	1	Do not breathe vapours or spray mist.
↑	↓	✗	2	Avoid contact with eyes, skin and clothing.
↑	↓	✗	3	Do not eat, drink, smoke or use cosmetics while working with this product.
↑	↓	✗	4	Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities.
↑	↓	✗	5	Remove soiled clothing and wash it thoroughly before reuse.

Below the list, there is a search interface with a "Phrase" field containing "eye", a "Starts with" dropdown, and a "Search" button. A "2nd filter" field is also present with a "Starts with" dropdown and a "Clear" button. At the bottom, there is a "Phrases Library" table with columns for "Phrase" and "Phrase Code".

Phrase	Phrase Code
Eye	
Eye contact	
Eye contact	
Eye contact may cause eye tissue discolouration.	
Eye contact may provoke the following symptoms:	
Eye damage/irritation	
Eye disease	
Eye effect	
Eye injury which may persist for several days.	
Eye Irrit. 2	

Phrases appear in multiple languages according to your subscription. In this example the account subscribed to English, French and Spanish.

# Admin – Public User

When a public user is created a public URL is created. This URL can be embedded in your website to provide direct access by your customers to the MSDS search. Users would not require a password or user name to login.

**Edit User Profile**  
Edit TSC Public User   Save   Save & New   New   Close window

Login ID: TSC Public User  
Password:   
User Name: TSC Public User  
JobTitle:   
Dept:   
Location:   
Email Address:   
Data Language: English  
Interface Language: English  
Enabled:   
Type: Public User

**User Public URL**  
http://web.chempliance.com/PublicAccess.aspx?  
t=zMapcq80g4zQkwus-I5H4A2

**Public user**

**A unique URL is generated for each public user.**

**The administrator can customize the basic and advanced search keys along with corresponding column widths in the search grid.**

Search Basic Keys | Search Adv Keys | Search Product Grid Columns | Recent Products Grid Columns

Search Basic Keys

Product Name	Emergency Tel No
MSDS Number	Manufacturer
	Manufacturer MSDS No
	Manufacturer Part No
	MSDS Expiry Date
	MSDS Preparation Date
	MSDS Revision Date
	Product Code
	Product Description
	Product No
	Product Synonyms
	Product Use
	Supplier
	Supplier Part No
	Trade Name
	UN NA No

Up   Down   < Add   Remove >

# Admin – Setting up Users

When users are created they are assigned a a login ID, password and user name along with account type, interface and data language settings.

**Edit User Profile**

Edit Demo PU Save Save & New New Close window

Login ID Demo PU  
Password trebla  
User Name Demo PU  
Job Title System Sales Director  
Dept Sales  
Location Mississauga  
Email Address dalbert@thecompliancecenter.com  
Data Language English  
Interface Language English  
Enabled   
Type Account User

Search Basic Keys Search Adv Keys Search Product Grid Columns Recent Products Grid Columns

Search Products Grid Columns Selection

MSDS Number	MSDS Number	Emergency Tel No
Product Name	Width	Manufacturer
Supplier	100	Manufacturer MSDS N
MSDS Preparation Date	Save Width	Manufacturer Part No
		MSDS Expiry Date
		MSDS Revision Date
		Product Code
		Product Description
		Product No
		Product Synonyms
		Supplier Part No
		Trade Name
		UN NA No
		Product Use

Up Down < Add Remove >

## Search Keys and Search Grid

These are the default settings that can be enforced by the administrator or the user can be given permission to change them in their “My profile “ area.

# Admin – User Groups

ChemplianceWeb™ user can be given various rights and privileges by including them in Language and Security groups.

The screenshot shows the 'Administration' menu with 'Groups' selected. Below the menu is a table of groups:

Delete	Edit	Type	Group Name	Filters
		Security	Site User	Edit Filters
		Security	Staff	Edit Filters
		Languages	Users	Edit Filters
		Languages	USA - Languages	Edit Filters
		General	Power Users	Edit Filters
		General	Admin	Edit Filters

## Security Groups

The 'Edit Group' form for a Security group shows the following details:

- Group Type: Security
- Name: Staff
- Description: No Editing

The 'Members' tab is active, showing a list of permissions with checkboxes:

- Search
  - By Product
  - By Location
  - By Group
  - By Regulatory
  - By Company
  - By Ingredient
  - My Recent Products
- Products

## Language Groups

The 'Edit Group' form for a Language group shows the following details:

- Group Type: Languages
- Name: Users
- Description: User

The 'Members' tab is active, showing a list of languages with 'Add' and 'Remove' buttons:

- Group Languages: English-English, French-Français
- Account Languages: Spanish-Español, Italian-Italiano, Japanese-日本語, Simplified Chinese-简体中文, Traditional Chinese-繁體中文, Russian-Русско, Dutch-Nederlands, Swedish-Svensk, Norwegian-Nordmann

